

PRODUCT SPECIFICATIONS

Task Headlamp Model: PH15

Revision History

Revision	Date	Initiator	Reason for Change
1.0	7 th Feb 2018		First Release

Prepared By	Approved By
Yvonne Ng	Kevin Chan
Date: 5 th Feb 2018	Date: 7 th Feb 2018


GPI International Limited


7/F, Building 16W, 16 Science Park West Avenue Hong Kong Science Park, New Territories, Hong Kong, Tel: (852) 2484 3333 Fax: (852) 24805912 Email: gpii@goldpeak.com


Website: http://www.gpbatteries.com

GP Batteries

Product Specifications







Model no.: PH15

Product Name : Task Headlamp

Lumen output* : 300 / 150 / 5 lm (+/- 15%)

Candela* : Max 6200 cd (+/- 15%)

Beam Distance* : Max 157m (+/- 15%)

Runtime* : 100%: 5H, 50%: 8H, 1.5%: 69H

Battery type : 3 x AAA (Alkaline / NiMH)

LED chip : Cree XP-G2

IP rate* : IPX6

Shock proof* : Impact resistant, 1m

Sensor function : Motion sensor (brightness model)



Model no.: PH15

Product Specifications

Dimensions : 34 x 46 x 56 mm

Weight : 110 g (with batteries)

Accessories Included : 3 x AAA Alkaline batteries (GP24AU)

Safety instruction Instruction manual

Certification : CE, ROHS

Warranty Period : 24 months from ex-factory date

Key features:

Motion sensor to change brightness levels by simply waving hand

- Long beam distance for improved vision
- Optimized performance with Alkaline or NiMH battery
- Advanced optical design for spot and flood beam in one
- Water-resistant design
- Convenient single button operation
- PWM regulation for accurate light output at different levels
- Lockout mode for accidental activation
- Reverse polarity protection
- Light and comfortable to use
- Utilizes Cree LED

*Per ANSI FL1 Standard